EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3058	716/2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:04
L2	4938	716/4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:04
L3	3746	716/5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:05
L4	2126	716/19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:05
L5	1589	716/21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:05
L6	0	(716/2).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:14

L7	0	(716/4).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:14
L8	0	(716/5).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:14
L9	· · · · · · · · · · · · · · · · · · ·	(716/19).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:15
L10		(716/21).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:15

L11	0	("716"/\$).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:15
L12	0	(layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviations or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:15
L13	1	(layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:17
L14	0	(716/2).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:18

L15	0	(716/4).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:18
L16	1	(layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:18
L17	0	(716/5).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:19
L18	0	(716/19).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:19

L19	1	(716/21).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:20
L20	1469	382/144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:20
L21	**************************************	(382/144).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:20
L22	,	("382"/\$).ccls. and (layout adj pattern\$2) and ((lithograph\$4 or photolithograph\$4) adj process\$3) and (sensitivit\$3 with parameters) and ((deviation\$2 or difference\$2) adj characteristics) and (test adj pattern\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2009/03/18 11:21
L23	0	(716/2).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate)) and (layout adj data) and (extrema adj (map or graph)) and (identify\$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:27

L24	0	(716/4).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate)) and (layout adj data) and (extrema adj (map or graph)) and (identify\$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:27
L25	0	(716/5).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate)) and (layout adj data) and (extrema adj (map or graph)) and (identify\$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:27
L26	0	(716/19).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate)) and (layout adj data) and (extrema adj (map or graph)) and (identify\$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:27
L27	0	(716/21).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate)) and (layout adj data) and (extrema adj (map or graph)) and (identify\$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:27
L28	1	(716/21).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate\$2)) and (layout adj data) and (extrema adj (map or graph)) and (identify \$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:28

L29	0	(716/19).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate\$2)) and (layout adj data) and (extrema adj (map or graph)) and (identify \$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:28
L30		(382/144).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate\$2)) and (layout adj data) and (extrema adj (map or graph)) and (identify \$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:29
L31	1	("716"/\$).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate\$2)) and (layout adj data) and (extrema adj (map or graph)) and (identify \$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:29
L32	1	("382"/\$).ccls. and (set with priorit\$3) and (mask) and (highest adj (error adj rate\$2)) and (layout adj data) and (extrema adj (map or graph)) and (identify \$3 or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:29

3/18/09 11:31:40 AM

 $\textbf{C:} \ \, \textbf{Documents} \ \, \textbf{and Settings} \\ \ \, \textbf{SLin1} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{EAST} \\ \ \, \textbf{workspaces} \\ \ \, \textbf{CASE529B.wsp} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{SLin2} \\ \ \, \textbf{My Documents} \\ \ \, \textbf{$